

| Indicator 11 summary 2008/2009 | | | | | | | | | | |
|---|----------------------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|--------------|-----------|
| Vegetation Community | Conservation Significance* | | | | | | | All | | |
| | High | | Moderate | | Low | | | | | |
| | Pre-dev. | Cleared | Pre-dev. | Cleared | Pre-dev. | Cleared | Pre-dev. | Cleared | Pre-dev. | Replanted |
| Cooks River Castlereagh Ironbark Forest | 8.30 | 0.26 | | | | | 8.30 | 0.26 | 4.67 | |
| Sydney Turpentine Ironbark Forest | 2.60 | 0.55 | | | | | 2.60 | 0.55 | | |
| Cumberland Plain Woodland | 2.03 | 2.03 | 5.69 | 1.92 | 2.76 | 1.34 | 10.48 | 5.29 | 11.57 | |
| Swamp Oak Floodplain Forest | | | | | 1.79 | 0.37 | 1.79 | 0.37 | 1.11 | |
| TOTAL (ha) | 12.93 | 2.84 | 5.69 | 1.92 | 4.55 | 1.71 | 23.17 | 6.47 | 17.35 | |
| * Based on site-specific assessment or NPWS (2002) Conservation Significance Mapping and Guidelines | | | | | | | | | | |
| Native Vegetation (as habitat for threatened species) | Conservation Significance* | | | | | | | All | | |
| | High | | Moderate | | Low | | | | | |
| | Pre-dev. | Cleared | Pre-dev. | Cleared | Pre-dev. | Cleared | Pre-dev. | Cleared | Pre-dev. | Replanted |
| Threatened Species Recorded | | | | | | | | | | |
| <i>Acacia pubescens</i> (Downy Wattle) (a shrub) | 8.30 | 0.26 | | | | | 8.30 | 0.26 | | |
| <i>Grevillea juniperina</i> (Juniper-leaf Grevillea) (a shrub) | | | | | 1.43 | 0.00 | 1.43 | 0.00 | | |
| <i>Grey-headed Flying-fox</i> (<i>Pteropus poliocephalus</i>) | 12.93 | 2.84 | 5.69 | 1.92 | 4.55 | 1.68 | 23.17 | 6.44 | 19.64 | |

| | | | | | | | | | |
|--|---------------------------|-------------------------|----------------------------|------------------------------|--------------|-------------|--------------|--------------|--------------|
| <i>Eastern Bent-wing Bat (Miniopterus schreibersii oceanensis)</i> | 12.93 | 2.84 | 6.02 | 1.92 | 14.27 | 9.38 | 33.22 | 14.14 | 19.64 |
| Eastern Freetail Bat (<i>Mormopterus norfolkensis</i>) | 2.03 | 2.03 | 4.65 | 1.20 | 14.16 | 9.31 | 20.84 | 12.54 | 12.68 |
| Fishing Bat (<i>Myotis adversus</i>) | 2.03 | 2.03 | 4.65 | 1.20 | 4.55 | 1.71 | 11.23 | 4.94 | 12.68 |
| Cumberland Land Snail (<i>Meridolum corneovirens</i>) | 2.03 | 2.03 | 4.65 | 1.20 | 4.55 | 1.71 | 11.23 | 4.94 | 12.68 |
| TOTAL (ha) | 12.93 | 2.84 | 6.02 | 1.92 | 14.27 | 9.38 | 33.22 | 14.14 | 19.64 |
| | | | | | | | | | |
| | | | | | | | | | |
| Threatened Communities | Area Conserved (%) | Area Cleared (%) | Area Replanted (ha) | | | | | | |
| | | | | | | | | | |
| High Conservation Significance | 78.04 | 21.96 | - | | | | | | |
| All threatened communities | 72.08 | 27.92 | 19.64 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Threatened Species Habitat | Area Conserved (%) | Area Cleared (%) | Area Replanted (ha) | | | | | | |
| Total | | | | | | | | | |
| All | 57.44 | 42.56 | 17.35 | | | | | | |
| <i>Acacia pubescens</i> (Downy Wattle) (a shrub) | 96.87 | 3.13 | 0.00 | | | | | | |
| <i>Grevillea juniperina</i> (Juniper-leaf Grevillea) (a shrub) | 100.00 | 0.00 | 0.00 | | | | | | |
| <i>Grey-headed Flying-fox (Pteropus poliocephalus)</i> | 72.21 | 27.79 | 19.64 | Species common to both sites | | | | | |

| | | | | | | | | | |
|--|-------|-------|--|------------------------------|-----|--|--|--|--|
| Eastern Bent-wing Bat (<i>Miniopterus schreibersii oceanensis</i>) | 57.44 | 42.56 | 19.64 | Species common to both sites | | | | | |
| Eastern Freetail Bat (<i>Mormopterus norfolkensis</i>) | 39.83 | 60.17 | 12.68 | | | | | | |
| Fishing Bat (<i>Myotis adversus</i>) | 56.01 | 43.99 | 12.68 | | | | | | |
| Cumberland Land Snail (<i>Meridolum corneovirens</i>) | 56.01 | 43.99 | 12.68 | | | | | | |
| Vegetation Management Plans | | | | | | | | | |
| Number of sites with native vegetation and / or threatened communities | | | | | 2 | | | | |
| Percentage of sites with native vegetation or threatened communities (%) | | | | | 100 | | | | |
| Projects (having threatened species / communities present) with VMP's prepared (%) | | | | | 100 | | | | |
| Conservation Zoning | | | | | | | | | |
| | | | Threatened Species, Populations and Communities | | | | | | |
| Projects with conservation zoning (%) | 50 | | 4 Threatened ecological communities were recorded | | | | | | |
| Area within project sites zoned for conservation (ha) | 8.04 | | 5 Threatened fauna species were recorded | | | | | | |
| | | | 2 Threatened flora species were recorded | | | | | | |
| | | | 0 Threatened populations were recorded | | | | | | |