




















NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	DOUBLE GARAGE LOCATION ZONE		ELECTRICAL STRUCTURE
	DRIVEWAY LOCATION		STREET TREE
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	RETAINING WALL - MAX HEIGHT 0.3m		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.

LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE		ELECTRICAL STRUCTURE
	DRIVEWAY LOCATION		STREET TREE
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	RETAINING WALL - MAX HEIGHT 0.4m		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE		ELECTRICAL STRUCTURE
	DRIVEWAY LOCATION		STREET TREE
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	RETAINING WALL - MAX HEIGHT 0.6m		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE		ELECTRICAL STRUCTURE
	DRIVEWAY LOCATION		STREET TREE
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	RETAINING WALL - MAX HEIGHT 0.8m		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE		ELECTRICAL STRUCTURE
	DRIVEWAY LOCATION		STREET TREE
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	RETAINING WALL - MAX HEIGHT 1.0m		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	DOUBLE GARAGE LOCATION ZONE		ELECTRICAL STRUCTURE
	DRIVEWAY LOCATION		STREET TREE
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	RETAINING WALL - MAX HEIGHT 1.0m		
	70.0 MAJOR CONTOUR		
	SW STORMWATER		
	S SEWER		
	W WATER		
	RW RECYCLED WATER		
	E ELECTRICAL		
	NBN NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.

LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE		STREET TREE
	DRIVEWAY LOCATION		
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	RETAINING WALL		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL			STORMWATER STRUCTURE
	DRIVEWAY LOCATION			STREET TREE
	ROAD PAVEMENT			
	FOOTPATH			
	1.5m WIDE STORMWATER EASEMENT			
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION			
	RETAINING WALL			
	70.0 MAJOR CONTOUR			
	STORMWATER			
	SEWER			
	WATER			
	RECYCLED WATER			
	ELECTRICAL			
	NBN			




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	DRIVEWAY LOCATION		STORMWATER STRUCTURE
	ROAD PAVEMENT		STREET TREE
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	70.0 MAJOR CONTOUR		
	SW STORMWATER		
	S SEWER		
	W WATER		
	RW RECYCLED WATER		
	E ELECTRICAL		
	NBN NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	DRIVEWAY LOCATION		
	ROAD PAVEMENT		STREET TREE
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	DRIVEWAY LOCATION		STORMWATER STRUCTURE
	ROAD PAVEMENT		STREET TREE
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL			STORMWATER STRUCTURE
	DRIVEWAY LOCATION			STREET TREE
	ROAD PAVEMENT			
	FOOTPATH			
	1.5m WIDE STORMWATER EASEMENT			
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION			
	ZERO LOT BOUNDARY			
	70.0 MAJOR CONTOUR			
	SW STORMWATER			
	S SEWER			
	W WATER			
	RW RECYCLED WATER			
	E ELECTRICAL			
	NBN NBN			




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.

LEGEND

	PRIMARY BUILDING - GROUND LEVEL		70.0 MAJOR CONTOUR
	DOUBLE GARAGE LOCATION ZONE		STORMWATER
	DRIVEWAY LOCATION		SEWER
	ROAD PAVEMENT		WATER
	FOOTPATH		RECYCLED WATER
	1.5m WIDE STORMWATER EASEMENT		ELECTRICAL
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		NBN
	BAL 12.5 (LEVELS OF CONSTRUCTION STANDARD FOR BUSHFIRE PROTECTION (AS 3959-2009))		STORMWATER STRUCTURE
	STREET TREE		SEWER STRUCTURE
			ELECTRICAL STRUCTURE




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		MAJOR CONTOUR
	SINGLE GARAGE LOCATION ZONE		STORMWATER
	DRIVEWAY LOCATION		SEWER
	ROAD PAVEMENT		WATER
	FOOTPATH		RECYCLED WATER
	1.5m WIDE STORMWATER EASEMENT		ELECTRICAL
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		NBN
	BAL 12.5 (LEVELS OF CONSTRUCTION STANDARD FOR BUSHFIRE PROTECTION (AS 3959-2009))		STORMWATER STRUCTURE
	STREET TREE		SEWER STRUCTURE
			ELECTRICAL STRUCTURE




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.

LEGEND

	PRIMARY BUILDING - GROUND LEVEL		70.0 MAJOR CONTOUR
	SINGLE GARAGE LOCATION ZONE		SW STORMWATER
	DRIVEWAY LOCATION		S SEWER
	ROAD PAVEMENT		W WATER
	FOOTPATH		RW RECYCLED WATER
	1.5m WIDE STORMWATER EASEMENT		E ELECTRICAL
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		NBN NBN
	BAL 12.5 (LEVELS OF CONSTRUCTION STANDARD FOR BUSHFIRE PROTECTION (AS 3959-2009))		STORMWATER STRUCTURE
	STREET TREE		SEWER STRUCTURE
			ELECTRICAL STRUCTURE




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		70.0 MAJOR CONTOUR
	DOUBLE GARAGE LOCATION ZONE		SW STORMWATER
	DRIVEWAY LOCATION		S SEWER
	ROAD PAVEMENT		W WATER
	FOOTPATH		RW RECYCLED WATER
	1.5m WIDE STORMWATER EASEMENT		E ELECTRICAL
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		NBN NBN
	BAL 12.5 (LEVELS OF CONSTRUCTION STANDARD FOR BUSHFIRE PROTECTION (AS 3959-2009))		STORMWATER STRUCTURE
	STREET TREE		SEWER STRUCTURE
			ELECTRICAL STRUCTURE




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL			STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE			STREET TREE
	DRIVEWAY LOCATION			
	ROAD PAVEMENT			
	FOOTPATH			
	1.5m WIDE STORMWATER EASEMENT			
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION			
	ZERO LOT BOUNDARY			
	70.0 MAJOR CONTOUR			
	STORMWATER			
	SEWER			
	WATER			
	RECYCLED WATER			
	ELECTRICAL			
	NBN			




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE		STREET TREE
	DRIVEWAY LOCATION		
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE		STREET TREE
	DRIVEWAY LOCATION		
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	70.0 MAJOR CONTOUR		
	SW STORMWATER		
	S SEWER		
	W WATER		
	RW RECYCLED WATER		
	E ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE		STREET TREE
	DRIVEWAY LOCATION		
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		




NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	DRIVEWAY LOCATION		ELECTRICAL STRUCTURE
	ROAD PAVEMENT		STREET TREE
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	RETAINING WALL		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		



NOTES

1. THE DIMENSIONS, AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN.
5. SERVICE LOCATIONS ARE INDICATIVE ONLY.



LEGEND

	PRIMARY BUILDING - GROUND LEVEL		STORMWATER STRUCTURE
	SINGLE GARAGE LOCATION ZONE		ELECTRICAL STRUCTURE
	DRIVEWAY LOCATION		STREET TREE
	ROAD PAVEMENT		
	FOOTPATH		
	1.5m WIDE STORMWATER EASEMENT		
	0.9m EASEMENT FOR ACCESS MAINTENANCE AND CONSTRUCTION		
	ZERO LOT BOUNDARY		
	RETAINING WALL		
	70.0 MAJOR CONTOUR		
	STORMWATER		
	SEWER		
	WATER		
	RECYCLED WATER		
	ELECTRICAL		
	NBN		