






LEGEND



SERVICES




EASEMENTS


- (A) EASEMENT TO DRAIN SEWAGE 2 WIDE,
3 WIDE, 3.5 WIDE & VARIABLE
 (C) EASEMENT TO DRAIN WATER 3 WIDE

NOTES

1. THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASES SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
5. A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.

~~ESTATE LOCATION MAP~~





LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES

	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLAR
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS


- (A) EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE

NOTES

- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASES SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.

ESTATE LOCATION MAP





LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES

	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLAR
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS

- (A) EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE
- (C) EASEMENT TO DRAIN WATER 3 WIDE


NOTES

- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.

ESTATE LOCATION MAP



NOT TO SCALE



LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES

	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLER
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS


	EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE
--	--

NOTES

- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.

ESTATE LOCATION MAP





LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES

	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLER
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS


	EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE
--	--

NOTES

- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.

ESTATE LOCATION MAP





LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES


	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLAR
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS

- (A) EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE
- (B) EASEMENT TO DRAIN WATER 2 WIDE & 3.5 WIDE

NOTES

- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.





LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES


	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLAR
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS

- (A) EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE
- (B) EASEMENT TO DRAIN WATER 2 WIDE & 3.5 WIDE

NOTES

- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASES SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.





LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES

	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLAR
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS

- (A) EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE
- (B) EASEMENT TO DRAIN WATER 2 WIDE & 3.5 WIDE

NOTES


- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.

ESTATE LOCATION MAP



REDLEAF

ORANGE



LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES


	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLAR
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS

- EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE

NOTES

1. THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
2. PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
3. PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
4. LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
5. A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.





LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES


	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLAR
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS

- (A)** EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE

NOTES

- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASES SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.





LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES

	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLAR
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT


EASEMENTS

- (A) EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE


NOTES

- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.

ESTATE LOCATION MAP



NOT TO SCALE



LEGEND

	INDICATIVE DRIVEWAY LOCATION
	PROPOSED ROAD PAVEMENT
	PROPOSED FOOTPATH
	PROPOSED STREET TREE
	1:4 (MAX) BATTER
	DESIGN CONTOUR
	KERB AND GUTTER

SERVICES

	PROPOSED STORMWATER
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ELECTRICAL
	NBN LINE
	SEWER MAINTENANCE HOLE
	STREET LIGHT
	WATER HYDRANT
	WATER STOP VALVE
	STORMWATER PIT
	ELECTRICAL PILLAR
	DP CONNECTION TO KERB
	DP CONNECTION TO PIT
	NBN PIT

EASEMENTS

	EASEMENT TO DRAIN SEWAGE 2 WIDE, 3 WIDE, 3.5 WIDE & VARIABLE
--	--

NOTES

- THE DIMENSIONS AREAS, EASEMENTS & OTHER DETAILS SHOWN ON THIS PLAN ARE APPROXIMATE ONLY & ARE SUBJECT TO FIELD SURVEY & THE FINAL APPROVALS OF COUNCIL & SERVICING AUTHORITIES.
- PURCHASERS SHOULD REFER TO THE REGISTERED PLAN OF SUBDIVISION FOR FINAL DIMENSIONS & OTHER DETAILS.
- PURCHASERS SHOULD EXAMINE THE FULL RANGE OF EASEMENTS & RESTRICTIONS SET OUT IN THE 88B INSTRUMENT ACCOMPANYING THE PLAN OF SUBDIVISION.
- LOTS MAY BE SUBJECT TO FUTURE SERVICES & STREET LANDSCAPING DESIGN SERVICE LOCATIONS ARE INDICATIVE ONLY.
- A MINIMUM 2 KL RAINWATER TANK SHALL BE INSTALLED AND MAINTAINED ON THIS LOT. THE FINAL TANK LOCATION AND CONFIGURATION TO BE DETERMINED BY THE BUILDER.

